

COPY

**PACIFIC WOOD TREATING  
CORPORATION**

WA 6906

6-11-84

17a

June 11, 1984

Mr. Eric B. Egbers, Regional Inspector  
Department of Ecology  
State of Washington  
7272 Cleanwater Lane, LU11  
Olympia, WA. 98504

SUBJECT: RBT Site, DE83-284 and DE83-468  
Post Closure Groundwater Monitoring  
Sampling and Analysis Requirements

Dear Mr. Egbers,


Attached is a copy of our purchase order No. 43592 to Laucks Testing Laboratories, Inc. for second quarter testing.

This purchase order reflects the constituents, methods and detection limits developed in the original draft closure/post closure plan, the closure amendment, order DE83-468 and the PWT closure certification. In addition, elimination of the constituent requirements for total organic carbon and total organic halogen per your telephone agreement with Randy Sweet of Sweet, Edwards and Associates on April 3, 1984.

Also, attached, is a rough draft excerpt of the draft closure plan on post-closure ground water monitoring into which I have worked in the changes of the closure amendment.

I have submitted this information in an attempt to freeze and clarify the groundwater monitoring constituents. Please don't hesitate to call me if there are questions.

Sincerely,

  
Vince McQuiggin  
Project Coordinator

sr  
Enclosure





## PURCHASE ORDER

**SHOW THIS NUMBER**

4 3 5 9 2

SHIP TO:

ITEM	QUANTITY	UNIT	PART NUMBER	DESCRIPTION	AMOUNT
------	----------	------	-------------	-------------	--------

1                  W                  W                  2

METHODS CHOSEN BY LAUCKS TESTING LABORATORIES FOR THESE TESTS IS EQUIVALENT IN METHODS AND DETECTION LIMITS TO THOSE DESCRIBED IN WASHINGTON DEPARTMENT OF ECOLOGY ORDER DE83-468, PAGE THREE (3), CONDITION SIX (6), ATTACHED.

BY PACIFIC WOOD TREATING CORPORATION

2038.00 5-11-84



PACKAGES, CORRESPONDENCE  
AND INVOICES REGARDING  
THIS ORDER.

4 3 6 9 2 - 2

LAUCKS TESTING LABORATORIES, INC.  
940 South Harnay Street  
Seattle, WA 98108

SHIP TO:

DATE REQUIRED AT P.W.T. PLANT	
----------------------------------	--

As Required

IF YOU ARE UNABLE TO ACCEPT THIS ORDER AS SPECIFIED PLEASE SO ADVISE  
BY WIRE IMMEDIATELY  
INVOICE IN DUPLICATE

PACIFIC WOOD TREATING CORPORATION

[illegible]



## PACIFIC WOOD TREATING CORPORATION

4/03/84

R.B.T. SITE

GROUNDWATER MONITORING

### SAMPLING AND ANALYSIS REQUIREMENTS

SAMPLES ARE TO BE ANALYZED IN THREE CONSTITUENT GROUPS TO THE EPA METHODS LISTED

1.) <u>PRIMARY DRINKING WATER STANDARDS</u>	<u>*METHOD</u>	<u>ALTERNATE **METHODS</u>	<u>DETECTION LIMITS</u>
ARSENIC	206.3	206.2	L/0.005mg/L
BARIUM	278.1		L/0.10 "
CADMIUM	213.1	213.2	L/0.002 "
CHROMIUM	218.1	218.2	L/0.01 "
LEAD	239.1	239.2	L/0.010 "
MERCURY	245.1		L/0.001 "
SELENIUM	270.3		L/0.005 "
SILVER	272.1	272.2	L/0.01 "
2.) <u>GENERAL GROUNDWATER QUALITY</u>			
COPPER	220.1	220.2	L/0.005 "
PHENOLS	420.2		L/0.005 "
PENTACHLOROPHENOL	604		L/0.01 ug/L
NAPTHALENE	610		L/1. "
3.) <u>GROUNDWATER CONTAMINATION</u>			
PH	150.1		± .1
SPECIFIC CONDUCTANCE	120.2		N/A

\*NOTE: ORGANICS TO BE TESTED TO METHODS OF EPA MANUAL 600/4-82-057, "METHODS FOR ORGANIC CHEMICAL ANALYSIS OF MUNICIPAL AND INDUSTRIAL WASTES".

INORGANICS TO BE TESTED TO METHODS OF EPA MANUAL 600/4-79-020, "METHODS FOR CHEMICAL ANALYSIS OF WATER AND WASTE".

\*\*NOTE: ALTERNATE METHODS WILL BE USED WITH INORGANICS WHEN SAMPLE AMOUNT AVAILABLE IS MARGINAL, OR TO ACHIEVE LOWER LIMITS OF DETECTION.